


LUPUDZ

CIXI LUPU ELECTRONICS CO.,LTD



慈溪市禄普电子有限公司

CIXI LUPU ELECTRONICS CO.,LTD

地址：浙江省慈溪市逍林镇福合院章丁路43-44号

43-44 Zhangding Road, Fuhe Yuan, Xiaolin Town, Cixi City, Zhejiang

电话：0574-63512767 13505742574

传真：0574-63512796

邮箱：497044666@qq.com

网站：<https://shop00mn206853908.1688.com/>

接线端子专业制造商

Professional Terminal Manufacturer

公司简介 Company Profile



慈溪市禄普电子有限公司,坐落于浙江慈溪,是一家从事接线端子研发,设计,加工,生产,销售及服务一体化的专业制造商,产品包含螺钉式PCB接线端子,插拔式接线端子,弹簧PCB式接线端子,MCS多用途连接器,贯通式接线端子,栅栏式接线端子等系列,广泛应用与电力控制,自动化控制,电梯,仪器仪表,通讯,电源,安防,照明,轨道交通等相关领域。

公司在研发标准件的同时,可为客户提供ODM/OEM服务和客户建立长期紧密的合作关系,提供最优的解决方案。

禄普电子将本着绿色环保理念,不断创新的奋斗精神,加强与社会各界紧密合作,共创美好未来。

应用场景 Application Scenario




Cixi Lupu Electronics Co., Ltd., located in Cixi, Zhejiang Province, is a professional manufacturer engaged in the integration of terminal R & D, design, processing, production, sales and service. Its products include screw PCB terminal, plug-in terminal, spring PCB terminal, MCS multi-purpose connector, through terminal, fence terminal and other series, which are widely used in power control, Automation control, elevator, instrument, communication, power supply, security, lighting, rail transit and other related fields. While developing standard parts.

The company can provide customers with ODM / OEM services, establish long-term and close cooperative relations with customers and provide optimal solutions. Based on the concept of green environmental protection and the spirit of continuous innovation.

Lupu Electronics will strengthen close cooperation with all sectors of society to create a better future.

产品目录

Product catalog



插拔式端子

Plug In Terminal

01——09



螺钉固定式端子

Screw Fixed Terminal

10——15



弹簧固定式端子

Spring Type Fixed Terminal


16——20



栅栏式接线端子

Fence Type Terminal Block


21——30




贯通式端子

Through Type Terminal

31——32








插拔式端子
Plug In Terminal



插拔式端子
Plug In Terminal

LUPUDZ

插拔式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	15EDGKD -2.5	弹簧按压接线	2.5mm	2P,3P-24P	150,UL 250,CE	4,UL 5,CE	26-20AWG 0.2-0.5mm²	/	/
	15EDGK -2.54		2.54mm	2P,3P-24P	150,UL 250,CE	4,UL 5,CE	26-20AWG 0.2-0.5mm²	/	/
	15EDGVC -2.5 15EDGVC -2.54		2.5mm 2.54mm	2P,3P-24P	150,UL 250,CE	4,UL 5,CE	/	/	/
	15EDGRC -2.5 15EDGRC -2.54		2.5mm 2.54mm	2P,3P-24P	150,UL 250,CE	4,UL 5,CE	/	/	/
	15EDGKN -3.5	弹簧按压接线	3.5mm	2P,3P-24P	300,UL 250,CE	8,UL 8,CE	28-16AWG 0.2-1.0mm²	/	/
	15EDGKN HB-3.5	双层 弹簧按压接线	3.5mm	2P,3P-24P	300,UL 250,CE	8,UL 8,CE	28-16AWG 0.2-1.0mm²	/	/
	15EDGN HBG	带卡锁 双层 弹簧按压接线	3.5mm	2P,3P-24P	300,UL 160,CE	10,UL 13.5,CE	28-16AWG 0.2-1.5mm²	/	/
	15EDGR HB-3.5	双层	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 8,CE	/	/	/
	15EDGKN HA-3.5	双层 弹簧按压接线	3.5mm	2P,3P-24P	300,UL 250,CE	8,UL 8,CE	28-16AWG 0.2-1.0mm²	/	/
	15EDGV HC-3.5		3.5mm	2P,3P-24P	300,UL 250,CE	8,UL 8,CE	/	/	/
	15EDGR HC-3.5		3.5mm	2P,3P-24P	300,UL 250,CE	8,UL 8,CE	/	/	/
	15EDGK -3.5 15EDGK -3.81		3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.2-1.5mm²	/	/







插拔式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	15EDGKM -3.5 15EDGKM -3.81	带法兰	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGKA -3.5 15EDGKA -3.81	直立设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.2-1.5mm²	/	/
	15EDGK AM-3.5 15EDGK AM-3.81	带法兰 直立设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDG KB-3.5 15EDG KB-3.5	直立设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGK BM-3.5 15EDGK BM-3.81	带法兰 直立设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGKD -3.81	弹簧按压接线	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 12,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGK DM-3.81	带法兰 弹簧按压接线	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 12,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGKR -3.8		3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGK RP-3.81	带法兰	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGK RB-3.81	带板锁	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	28-16AWG 0.5-1.5mm²	/	/
	15EDGB -3.5 15EDGB -3.81	板对板设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGBM -3.5 15EDGBM -3.81	板对板设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊


插拔式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	15EDGA -3.5 15EDGA -3.81	板对板设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGVC -3.5 15EDGVC -3.81		3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGRC -3.5 15EDGRC -3.81		3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGVM -3.5 15EDGVM -3.81	带法兰	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGRM -3.5 15EDGRM -3.81	带法兰	3.5mm 3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGRH -3.81	双层	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGVH -3.81	双层	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGR HM-3.81	双层 带定位柱	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGV TM-3.81	双层 带法兰	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	15EDGWB -3.81	穿墙设计	3.81mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	HT396K	小体积设计	3.96mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	24-14AWG 0.5-1.5mm²	/	/
	HT396V	小体积设计	3.96mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊

插拔式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HT396R	小体积设计	3.96mm	2P,3P-24P	300,UL 250,CE	8,UL 7,CE	/	/	波峰焊 手工焊
	HT508K	小体积设计	5.08mm	2P,3P-24P	300,UL 250,CE	10,UL 7,CE	28-12AWG 0.5-2.5mm²	/	/
	HT508V	小体积设计	5.08mm	2P,3P-24P	300,UL 250,CE	10,UL 7,CE	/	/	波峰焊 手工焊
	HT508R	小体积设计	5.08mm	2P,3P-24P	300,UL 250,CE	10,UL 7,CE	/	/	波峰焊 手工焊
	2EDGK -5.0 2EDGK -5.08		5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGK -7.5 2EDGK -7.62		7.5mm 7.62mm	2P,3P-24P	300,UL 400,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKM -5.0 2EDGKM -5.08	带法兰	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKM -7.5 2EDGKM -7.62	带法兰	7.5mm 7.62mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKC -5.0 2EDGKC -5.08	进线孔和螺钉孔同向	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	10,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKC -5.0 2EDGKC -5.08	带法兰 进线孔和螺钉孔同向	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	10,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKA -5.0 2EDGKA -5.08	直立设计	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 18,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKB -5.0 2EDGKB -5.08	直立设计	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 18,CE	28-12AWG 0.5-2.5mm²	/	/

插拔式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	2EDGKA -7.5 2EDGKA -7.62	直立设计	7.5mm 7.62mm	2P,3P-24P	300,UL 400,CE	15,UL 18,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKB -7.5 2EDGKB -7.62	带法兰 直立设计	7.5mm 7.62mm	2P,3P-24P	300,UL 400,CE	15,UL 18,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKAM -5.0 2EDGKAM -5.08	带法兰 直立设计	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 18,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKBM -5.0 2EDGKBM -5.08	带法兰 直立设计	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 18,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKLM -5.08	带法兰 斜面进线设计	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 18,CE	28-12AWG 0.5-2.5mm²	45°	/
	2EDGKD -5.08	弹簧按压接线	5.08mm	2P,3P-24P	300,UL 320,CE	10,UL 15,CE	26-12AWG 0.5-2.5mm²	/	/
	2EDGKD -5.08	带法兰 弹簧按压接线	5.08mm	2P,3P-24P	300,UL 320,CE	10,UL 15,CE	26-12AWG 0.5-2.5mm²	/	/
	2EDGKR -5.08		5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKRM -5.08	带法兰	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKRB -5.08	带锁板设计	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGKR -7.62		7.62mm	2P,3P-24P	300,UL 420,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGR -5.0 2EDGR -5.08		5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊

插拔式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	2EDGR-5.0 2EDGR-5.08		5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGRC-5.0 2EDGRC-5.08	闭口	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGVC-5.0 2EDGVC-5.08	闭口	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGR-7.5 2EDGR-7.62		7.5mm 7.62mm	2P,3P-24P	300,UL 400,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGV-7.5 2EDGV-7.62		7.5mm 7.62mm	2P,3P-24P	300,UL 400,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGRM-5.0 2EDGRM-5.08	带法兰	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGVM-5.0 2EDGVM-5.08	带法兰	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGRT-5.0 2EDGRT-5.08	双层设计 脚位Z型排列	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGRTC-5.0 2EDGRTC-5.08	双层设计 脚位Z型排列	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGVT-5.0 2EDGVT-5.08	双层设计 脚位Z型排列	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGVTC-5.0 2EDGVTC-5.08	双层设计 脚位Z型排列	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDGRHC-5.0 2EDGRHC-5.08	双层设计	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊

插拔式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	2EDGWB-5.08	穿墙插座	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	/
	2EDGWC-5.08	穿墙固定卡扣	5.08mm	2P,3P-24P	/	/	/	/	/
	15EDG-GB-5.08	带板锁	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 12,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDG-VRK-5.08 2EDG-URK-5.08	导轨设计 小卡脚15mm 大卡脚35mm	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 12,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDG-VGB-5.08 2EDG-UGB-5.08	导轨设计 小卡脚15mm 大卡脚35mm	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 12,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDG-VGBM-5.08 2EDG-UGBM-5.08	导轨设计 小卡脚15mm 大卡脚35mm	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 12,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDLK-5.08	小体积设计	5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 12,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDLV-5.08		5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 12,CE	/	/	波峰焊 手工焊
	2EDGKF-5.0 2EDGKF-5.08	双层	5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	2EDGRF-5.0 2EDGRF-5.08		5.0mm 5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	/	/	波峰焊 手工焊
	2EDCA-5.0	板对板设计	5.0mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/
	15EDGK-5.08		5.08mm	2P,3P-24P	300,UL 320,CE	15,UL 20,CE	28-12AWG 0.5-2.5mm²	/	/






螺钉固定式端子



Screw Fixed Terminal

10

螺钉固定式端子

Screw Fixed Terminal

螺钉固定式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP301-5.0		5.0mm	2P,3P-24P 可拼接	300,UL 250,IEC	10,UL 15,IEC	22-14AWG 0.2-1.5mm²	0°	波峰焊 手工焊
	LP301R-5.0	弯脚	5.0mm	2P,3P-24P 可拼接	300,UL 250,IEC	10,UL 15,IEC	22-14AWG 0.2-1.5mm²	90°	波峰焊 手工焊
	LP306-5.0		5.0mm	2P,3P-24P 可拼接	300,UL 250,IEC	10,UL 15,IEC	22-14AWG 0.2-1.5mm²	0°	波峰焊 手工焊
	LP300-5.0		5.0mm	2P,3P-24P 可拼接	300,UL 250,IEC	10,UL 24,IEC	22-14AWG 0.2-2.0mm²	0°	波峰焊 手工焊
	LP300R-5.0	弯脚	5.0mm	2P,3P-24P 可拼接	300,UL 250,IEC	10,UL 24,IEC	22-14AWG 0.2-2.0mm²	90°	波峰焊 手工焊
	LP300-7.5		7.5mm	2P,3P-24P 可拼接	300,UL 450,IEC	10,UL 24,IEC	24-14AWG 0.2-2.0mm²	0°	波峰焊 手工焊
	LP300R-7.5	弯脚	7.5mm	2P,3P-24P 可拼接	300,UL 450,IEC	10,UL 24,IEC	22-14AWG 0.2-2.0mm²	90°	波峰焊 手工焊
	LP332K-5.0	与332J对插使用	5.0mm	2P,3P-24P 可拼接	300,UL 250,IEC	10,UL 12,IEC	28-16AWG 0.2-1.5mm²	0°	波峰焊 手工焊
	LP333K-3.5	与333J对插使用	3.5mm	2P,3P-24P 可拼接	300,UL 250,IEC	8,UL 10,IEC	28-16AWG 0.2-1.0mm²	0°	波峰焊 手工焊
	LP333J-3.5	与333K对插使用	3.5mm	2P,3P-24P	300,UL 250,IEC	8,UL 10,IEC	/	/	波峰焊 手工焊
	LP332J-5.0	与332K对插使用	5.0mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	/	/	波峰焊 手工焊
	LP350-3.5 LP350-3.96		3.5mm 3.96mm	2P,3P-24P	300,UL 250,IEC	7,UL 10,IEC	24-18AWG 0.2-1.0mm²	0°	波峰焊 手工焊


螺钉固定式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP350R-3.5 LP350R-3.96	弯脚	3.5mm 3.96mm	2P,3P-24P	300,UL 250,IEC	7,UL 10,IEC	24-18AWG 0.2-1.0mm²	90°	波峰焊 手工焊
	LP126-5.0		5.0mm	2P,3P-24P	300,UL 250,IEC	10,UL 18,IEC	26-14AWG 0.25-2.5mm²	0°	波峰焊 手工焊
	LP126R-5.0	弯脚	5.0mm	2P,3P-24P	300,UL 250,IEC	10,UL 18,IEC	26-14AWG 0.5-2.5mm²	90°	波峰焊 手工焊
	LP166-5.0		5.0mm	2P,3P-24P	300,UL 250,IEC	15,UL 22,IEC	22-12AWG 0.5-2.5mm²	0°	波峰焊 手工焊
	LP167-5.0		5.0mm	2P,3P-24P	300,UL 250,IEC	15,UL 22,IEC	22-12AWG 0.5-2.5mm²	0°	波峰焊 手工焊
	LP167R-5.0	弯脚	5.0mm	2P,3P-24P	300,UL 250,IEC	15,UL 22,IEC	22-12AWG 0.5-2.5mm²	90°	波峰焊 手工焊
	LP168		5.0mm	2P,3P-24P	300,UL 250,IEC	10,UL 18,IEC	24-14AWG 0.2-2.0mm²	0°	波峰焊 手工焊
	LP168R	弯脚	5.0mm	2P,3P-24P	300,UL 250,IEC	10,UL 18,IEC	24-14AWG 0.2-2.0mm²	90°	波峰焊 手工焊
	LP128-2.54		2.54mm	2P,3P-24P	150,UL 130,IEC	6,UL 8,IEC	26-18AWG 0.2-1.0mm²	0°	波峰焊 手工焊
	LP128L-3.5 LP128L-3.81		3.5mm 3.81mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	26-16AWG 0.1-1.0mm²	0°	波峰焊 手工焊
	LP128H-3.5 LP128H-3.81	高型设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	26-16AWG 0.1-1.0mm²	0°	波峰焊 手工焊
	LP128B-3.5 LP128B-3.81	高低位，交叉脚位	3.5mm 3.81mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	26-16AWG 0.1-1.0mm²	0°	波峰焊 手工焊

螺钉固定式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP128A-3.5 LP128A-3.81	高低位，交叉脚位	3.5mm 3.81mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	26-16AWG 0.1-1.0mm²	0°	波峰焊 手工焊
	LP127S-3.5 LP127S-3.81	斜面，低型设计	3.5mm 3.81mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	26-16AWG 0.1-1.0mm²	45°	波峰焊 手工焊
	LP127-5.0	低型设计	5.0mm	2P,3P-24P	300,UL 250,IEC	12,UL 15,IEC	26-14AWG 0.1-2.0mm²	0°	波峰焊 手工焊
	LP127A-5.08	高低位，交叉脚位	5.08mm	2P,3P-24P	300,UL 250,IEC	12,UL 15,IEC	28-16AWG 0.1-2.0mm²	0°	波峰焊 手工焊
	LP128-5.0 LP128-5.08		5.0mm 5.08mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP128R-5.0	弯脚	5.0mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	90°	波峰焊 手工焊
	LP128-7.5		7.5mm	2P,3P-24P	300,UL 450,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP128R-7.5	弯脚	7.5mm	2P,3P-24P	300,UL 450,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	90°	波峰焊 手工焊
	LP128L-5.0 LP128L-5.08	背面带拼接槽 可组合高低位	5.0mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP128H-5.0 LP128H-5.08	高低位，交叉脚位	5.0mm 5.08mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP128B-5.0 LP128B-5.08	高低位，交叉脚位	5.0mm 5.08mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP128A-5.0 LP128A-5.08	高低位，交叉脚位	5.0mm 5.08mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊

螺钉固定式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP128HH-5.08	高位设计	5.08mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP128A2-5.08	高位设计 高低位，交叉脚位	5.08mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP103-5.0	斜面	5.08mm	2P,3P-24P	300,UL 250,IEC	10,UL 12,IEC	24-12AWG 0.2-2.5mm²	45°	波峰焊 手工焊
	LP129-5.0 LP129-5.08		5.0mm 5.08mm	2P,3P-24P	300,UL 250,IEC	20,UL 24,IEC	26-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP129R-5.0 LP129R-5.08	弯脚	5.0mm 5.08mm	2P,3P-24P	300,UL 250,IEC	20,UL 24,IEC	26-12AWG 0.2-2.5mm²	90°	波峰焊 手工焊
	LP129-7.5 LP129-7.62		7.5mm 7.62mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	26-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP129A-5.08	高低位，交叉脚位 可拼接	5.08mm	2P,3P-24P	300,UL 250,IEC	20,UL 24,IEC	26-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP129H-5.08	高低设计	5.08mm	2P,3P-24P	300,UL 250,IEC	20,UL 24,IEC	26-12AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP102-5.0	斜面	5.0mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-12AWG 0.5-2.5mm²	45°	波峰焊 手工焊
	LP104-5.08	斜面	5.08mm	2P,3P-24P	300,UL 250,IEC	15,UL 18,IEC	24-14AWG 0.5-2.5mm²	45°	波峰焊 手工焊
	LP130-6.35		6.35mm	2P,3P-24P	300,UL 450,IEC	30,UL 24,IEC	26-10AWG 0.2-4.0mm²	0°	波峰焊 手工焊
	LP130-7.62		7.62mm	2P,3P-24P	300,UL 630,IEC	30,UL 32,IEC	26-10AWG 0.2-4.0mm²	0°	波峰焊 手工焊

螺钉固定式端子
Screw Fixed Terminal

LUPUDZ





螺钉固定式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP130-9.5		9.5mm	2P,3P-24P	300,UL 1000,IEC	30,UL 30,IEC	26-10AWG 0.2-4.0mm²	0°	波峰焊 手工焊
	LP130R-6.35	弯脚	6.35mm	2P,3P-24P	300,UL 450,IEC	30,UL 24,IEC	26-10AWG 0.2-4.0mm²	90°	波峰焊 手工焊
	LP130SJ-6.35	双焊脚	6.35mm	1P,2P-24P	300,UL 450,IEC	30,UL 24,IEC	26-10AWG 0.2-4.0mm²	0°	波峰焊 手工焊
	LP130SJ-7.62	双焊脚	7.62mm	1P,2P-24P	300,UL 450,IEC	30,UL 24,IEC	26-10AWG 0.2-4.0mm²	0°	波峰焊 手工焊
	LP105R-5.0		5.0mm	1P,2P-24P	300,UL 250,IEC	20,UL 24,IEC	24-14AWG 0.2-2.5mm²	0°	波峰焊 手工焊
	LP135T-10.16		10.16mm	2P,3P-24P	300,UL	52,UL	20-6AWG 0.5-10mm²	0°	波峰焊 手工焊
	LP106-10.16		10.16mm	1P,2P-24P	300,UL	52,UL	20-6AWG 0.5-10mm²	0°	波峰焊 手工焊
	LP1016A-10.16		10.16mm	2P,3P-24P	300,UL	52,UL	20-16AWG 0.5-10mm²	0°	波峰焊 手工焊
	LP136HT-10.16	可定制彩色	10.16mm	1P,2P-24P	300,UL 1000,IEC	60,UL 65,IEC	20-6AWG 0.5-10mm²	0°	波峰焊 手工焊
	LP136HT-12.7		12.7mm	1P,2P-24P	600,UL 1000,IEC	60,UL 65,IEC	20-6AWG 0.5-10mm²	0°	波峰焊 手工焊
	LP137T-15.0		15.0mm	2P,3P-9P	600,UL 1000,IEC	115,UL 115,IEC	20-2AWG 2.0-35mm²	0°	波峰焊 手工焊
	LP137TM-15.0	带锁板	15.0mm	2P,3P-9P	600,UL 1000,IEC	115,UL 115,IEC	20-2AWG 2.0-35mm²	0°	波峰焊 手工焊






<https://shop00mn206853908.1688.com/>


弹簧固定式端子
Spring Type Fixed Terminal



弹簧固定式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP141V-2.54	可用一字螺丝刀操作	2.54mm	1P-XXP	150,UL 150,CE	2,UL 2,CE	24-20AWG 0.2-1.0mm²	90°	手工焊 波峰焊
	LP141R-2.54	可用一字螺丝刀操作	2.54mm	1P-XXP	150,UL 150,CE	2,UL 2,ICE	24-20AWG 0.2-1.0mm²	0°	手工焊 波峰焊
	LP142V-5.08	可用一字螺丝刀操作	5.08mm	1P-XXP	300,UL 250,CE	10,UL 15,CE	22-16AWG 0.2-1.5mm²	90°	手工焊 波峰焊
	LP142R-5.08	可用一字螺丝刀操作	5.08mm	1P-XXP	300,UL 250,CE	10,UL 15,CE	22-16AWG 0.2-1.5mm²	0°	手工焊 波峰焊
	LP250-2.5	单排焊针，常规Z型排列	2.5mm	1P-XXP	300,UL 300,CE	2,UL 2,CE	24-20AWG 0.2-0.5mm²	45°	手工焊 波峰焊
	LP250-3.5	单排焊针，常规Z型排列	3.5mm	1P-XXP	300,UL 450,CE	7,UL 5,CE	22-18AWG 0.2-0.75mm²	45°	手工焊 波峰焊
	LP250T-3.5	高低位双层	3.5mm	1P-XXP	300,UL 450,CE	10,UL 12,CE	22-16AWG 0.2-1.0mm²	45°	手工焊 波峰焊
	LP211V-5.0	单排焊针	5.0mm	1P-XXP	300,UL 250,CE	8,UL 15,CE	26-16AWG 0.2-1.5mm²	90°	手工焊 波峰焊
	LP211R-5.0	双排焊针	5.0mm	1P-XXP	300,UL 250,CE	8,UL 15,CE	26-16AWG 0.2-1.5mm²	0°	手工焊 波峰焊
	LP245-5.0	双排焊针	5.0mm	1P-XXP	300,UL 250,CE	10,UL 15,CE	28-12AWG 0.2-2.5mm²	45°	手工焊 波峰焊
	LP243-5.0	带手柄 双排焊针	5.0mm	1P-XXP	300,UL 250,CE	10,UL 15,CE	28-12AWG 0.2-2.5mm²	45°	手工焊 波峰焊
	LP201-5.0	双排焊针	5.0mm	1P-XXP	300,UL 250,CE	10,UL 15,CE	28-12AWG 0.2-2.5mm²	0°	手工焊 波峰焊

弹簧固定式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP235-3.81	双排焊针	3.81mm	1P-XXP	300,UL 250,CE	5,UL 10,IEC	20-18AWG 0.2-1.5mm²	90°	手工焊 波峰焊
	LP235-5.0	双排焊针	5.0mm	1P-XXP	300,UL 450,CE	5,UL 10,CE	20-18AWG 0.2-1.5mm²	0°	手工焊 波峰焊
	LP237-5.08	双排焊针	5.08mm	1P-XXP	300,UL 450,CE	10,UL 10,ICE	20-18AWG 0.2-1.5mm²	45°	手工焊 波峰焊
	LP237B-5.08	双排焊针	5.08mm	1P-XXP	300,UL 450,CE	10,UL 10,CE	20-18AWG 0.2-1.5mm²	45°	手工焊 波峰焊
	LP246-3.81	双排焊针	3.81mm	1P-XXP	300,UL 160,CE	10,UL 9,CE	24-16AWG 0.2-1.0mm²	45°	手工焊 波峰焊
	LP246-5.08	双排焊针	5.08mm	1P-XXP	300,UL 320,CE	10,UL 9,CE	24-16AWG 0.2-1.0mm²	45°	手工焊 波峰焊
	LP206-10.0	带操作手柄	10.0mm	1P-XXP	300,UL 1000,CE	50,UL 76,CE	18-4AWG 1.0-16mm²	0°	手工焊 波峰焊
	LP270-10.0	带操作手柄	10.0mm	1P-XXP	300,UL 1000,CE	60,UL 76,CE	18-4AWG 1.0-16mm²	0°	手工焊 波峰焊

A close-up photograph of a metal bracket or fastener, likely made of stainless steel, showing its complex shape and mounting holes.



栅栏式接线端子
Fence Type Terminal Block

栅栏式接线端子
Fence Type Terminal Block

LUPUDZ

栅栏式接线端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HB635	扭力12kg	6.35mm	2P,3P-24P	300,UL 250,IEC	10,UL 17.5,IEC	22-16AWG 0.5-1.5mm²	0°	手工焊 波峰焊
	HB762	扭力16kg	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB825	扭力16kg	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB850	扭力16kg	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB950	扭力24kg	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1000	扭力24kg	10.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1100	扭力24kg	11.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1300	扭力24kg	13.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB635F	靠背出脚 扭力12kg	6.35mm	2P,3P-24P	300,UL 250,IEC	10,UL 17.5,IEC	22-16AWG 0.5-1.5mm²	90°	手工焊 波峰焊
	HB762F	靠背出脚	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊
	HB825F	靠背出脚	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊
	HB850F	靠背出脚	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊



栅栏式接线端子
Fence Type Terminal Block

LUPUDZ

栅栏式接线端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HB950F	靠背出脚	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-16AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1000F	靠背出脚	10.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1100F	靠背出脚	11.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1300F	靠背出脚	13.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB635G	扭力12kg	6.35mm	2P,3P-24P	300,UL 250,IEC	10,UL 17.5,IEC	22-16AWG 0.5-1.5mm²	0°	手工焊 波峰焊
	HB762G	扭力16kg	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB825G	扭力16kg	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB850G	扭力16kg	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB950G	扭力24kg	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1000G	扭力24kg	10.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1100G	扭力24kg	11.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1300G	扭力24kg	13.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊



<https://shop00mn206853908.1688.com/>

栅栏式接线端子
Fence Type Terminal Block

LUPUDZ

栅栏式接线端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HB635GX	免拆盖接线 扭力12kg	6.35mm	2P,3P-24P	300,UL 250,IEC	10,UL 17.5,IEC	22-16AWG 0.5-1.5mm²	0°	手工焊 波峰焊
	HB762GX	免拆盖接线 扭力16kg	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB825GX	免拆盖接线 扭力16kg	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB850GX	免拆盖接线 扭力16kg	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB950GX	免拆盖接线 扭力24kg	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1000GX	免拆盖接线 扭力24kg	10.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1100GX	免拆盖接线 扭力24kg	11.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB1300GX	免拆盖接线 扭力24kg	13.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB635GF	靠背出脚 扭力12kg	6.35mm	2P,3P-24P	300,UL 250,IEC	10,UL 17.5,IEC	22-16AWG 0.5-1.5mm²	90°	手工焊 波峰焊
	HB762GF	靠背出脚	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊
	HB825GF	靠背出脚	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊
	HB850GF	靠背出脚	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊



<https://shop00mn206853908.1688.com/>

栅栏式接线端子
 Fence Type Terminal Block

LUPUDZ

栅栏式接线端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HB950GF	靠背出脚	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-16AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1000GF	靠背出脚	10.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1100GF	靠背出脚	11.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1300GF	靠背出脚	13.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB635GFX	靠背出脚 扭力12kg	6.35mm	2P,3P-24P	300,UL 250,IEC	10,UL 17.5,IEC	22-16AWG 0.5-1.5mm²	90°	手工焊 波峰焊
	HB762GFX	靠背出脚	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊
	HB825GFX	靠背出脚	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊
	HB850GFX	靠背出脚	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	90°	手工焊 波峰焊
	HB950GFX	靠背出脚	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1000GFX	靠背出脚	10.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1100GFX	靠背出脚	11.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB1300GFX	靠背出脚	13.0mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊



<https://shop00mn206853908.1688.com/>

栅栏式接线端子
 Fence Type Terminal Block

LUPUDZ



栅栏式接线端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HB611B	带拼接卡槽	6.35mm	2P,3P,4P	300,UL 250,IEC	10,UL 17.5,IEC	22-16AWG 0.5-1.5mm²	0°	手工焊 波峰焊
	HB950B	扭力24kg 带拼接卡槽	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB762SJ	扭力14kg 双焊脚增加电气性能	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB825SJ	扭力14kg 双焊脚增加电气性能	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB850SJ	扭力14kg 双焊脚增加电气性能	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB950SJ	扭力24kg 双焊脚增加电气性能	9.5mm	2P,3P-16P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB762GSJ	扭力14kg 双焊脚增加电气性能	7.62mm	2P,3P-24P	300,UL 250,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB825GSJ	扭力14kg 双焊脚增加电气性能	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB850GSJ	扭力14kg 双焊脚增加电气性能	8.5mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB950GSJ	扭力24kg 双焊脚增加电气性能	9.5mm	2P,3P-24P	300,UL 750,IEC	30,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	SX762	小体积设计	7.62mm	2P,3P-24P	300,UL 450,IEC	10,UL 15,IEC	22-14AWG 0.5-1.5mm²	0°	手工焊 波峰焊
	SX890	小体积设计	8.9mm	2P,3P-24P	300,UL 450,IEC	15,UL 15,IEC	22-14AWG 0.5-1.5mm²	0°	手工焊 波峰焊



<https://shop00mn206853908.1688.com/>

栅栏式接线端子
Fence Type Terminal Block

LUPUDZ

栅栏式接线端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	DG7620	带拼接卡槽	7.62mm	2P,3P-24P	300,UL 450,IEC	10,UL 15,IEC	22-14AWG 0.5-1.5mm²	0°	手工焊 波峰焊
	DG8500	带拼接卡槽	8.5mm	2P,3P-24P	300,UL 450,IEC	15,UL 15,IEC	22-12AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB7620L	高位设计	7.62mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB7620HL	高低位双层	7.62mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB8500HL	单片可拼接 高低位双层	8.5mm	1P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-14AWG 0.5-2.0mm²	0°	手工焊 波峰焊
	HB25C HB25S	C:中脚 S:边脚	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.5mm²	0°	手工焊 波峰焊
	HB35C HB35S	C:中脚 S:边脚	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-12AWG 0.5-2.5mm²	0°	手工焊 波峰焊
	HB45C HB45S	C:中脚 S:边脚	9.5mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB55C HB55S	C:中脚 S:边脚	10.0mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB65C HB65S	C:中脚 S:边脚	11.0mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB45SJ	双焊脚 增加电气性能	9.5mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB25CM HB25SM	带法兰 C:中脚 S:边脚	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.5mm²	0°	手工焊 波峰焊



<https://shop00mn206853908.1688.com/>

栅栏式接线端子
Fence Type Terminal Block

LUPUDZ

栅栏式接线端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HB35CM HB35SM	带法兰 C:中脚 S:边脚	8.25mm	2P,3P,24P	300,UL 450,IEC	20,UL 24,IEC	22-12AWG 0.5-2.5mm²	0°	手工焊 波峰焊
	HB45CM HB45SM	带法兰 C:中脚 S:边脚	9.5mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB55CM HB55SM	带法兰 C:中脚 S:边脚	10.0mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB65CM HB65SM	带法兰 C:中脚 S:边脚	11.0mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB28CG HB28SG	C:中脚 S:边脚	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.5mm²	0°	手工焊 波峰焊
	HB38CG HB38SG	C:中脚 S:边脚	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-12AWG 0.5-2.5mm²	0°	手工焊 波峰焊
	HB48CG HB48SG	C:中脚 S:边脚	9.5mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB58CG HB58SG	C:中脚 S:边脚	10mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB78CG HB78SG	C:中脚 S:边脚	13mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	0°	手工焊 波峰焊
	HB28RG		7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.5mm²	90°	手工焊 波峰焊
	HB38RG		8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-12AWG 0.5-2.5mm²	90°	手工焊 波峰焊
	HB48RG		9.5mm	1P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊



<https://shop00mn206853908.1688.com/>

栅栏式接线端子
Fence Type Terminal Block

LUPUDZ

栅栏式接线端子

产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	HB58RG		10mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB78RG		13mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB28HGM	带法兰 长脚带孔	7.62mm	2P,3P-24P	300,UL 250,IEC	15,UL 24,IEC	22-14AWG 0.5-2.5mm²	90°	手工焊 波峰焊
	HB38HGM	带法兰 长脚带孔	8.25mm	2P,3P-24P	300,UL 450,IEC	20,UL 24,IEC	22-12AWG 0.5-2.5mm²	90°	手工焊 波峰焊
	HB48HGM	带法兰 长脚带孔	9.5mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB58HGM	带法兰 长脚带孔	10mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-4.0mm²	90°	手工焊 波峰焊
	HB78HGM	带法兰 长脚带孔	13mm	2P,3P-24P	300,UL 750,IEC	20,UL 32,IEC	22-12AWG 0.5-2.5mm²	90°	手工焊 波峰焊
	ZL-7.5	穿墙设计 带锁孔	7.5mm	2P,3P,16P	600,UL	25,UL	18-10AWG 0.5-4.0mm²	0°	/
	ZLG-7.5	穿墙设计 带锁孔	7.5mm	2P,3P-16P	600,UL	25,UL	18-10AWG 0.5-4.0mm²	0°	/
	ZL-10.0	穿墙设计 带锁孔	10.0mm	2P,3P-16P	600,UL	25,UL	18-10AWG 0.5-4.0mm²	0°	/
	ZLG-10.0	穿墙设计 带锁孔	10.0mm	2P,3P-16P	600,UL	25,UL	18-10AWG 0.5-4.0mm²	0°	/

贯通式端子
Through Type Terminal

贯通式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	PA8		8.2mm	1P,2P-12P	300,UL	17.5A,UL	22-12AWG 0.75-1.5mm²	/	/
	PA10		10.0mm	1P,2P-12P	300,UL	24A,UL	22-10AWG 1.0-2.5mm²	/	/
	PA12		12.0mm	1P,2P-12P	300,UL	41A,UL	22-8AWG 2.5-6.0mm²	/	/
	PA14		13.5mm	1P,2P-12P	300,UL	57A,UL	22-10AWG 4.0-10.0mm²	/	/
	PA16		14.5mm	1P,2P-12P	300,UL	76A,UL	14-6AWG 6.0-16.0mm²	/	/
	PA18		16.5mm	1P,2P-12P	300,UL	101A,UL	12-4AWG 10.0-25.0mm²	/	/
	PA8DS	加装弹片压线	8.2mm	1P,2P-12P	300,UL	17.5A,UL	22-12AWG 0.75-1.5mm²	/	/
	PA10DS	加装弹片压线	10.0mm	1P,2P-12P	300,UL	24A,UL	22-10AWG 1.0-2.5mm²	/	/
	PA12DS	加装弹片压线	12.0mm	1P,2P-12P	300,UL	41A,UL	20-8AWG 2.5-6.0mm²	/	/
	PA14DS	加装弹片压线	13.5mm	1P,2P-12P	300,UL	57A,UL	22-10AWG 4.0-10.0mm²	/	/
	PA16DS	加装弹片压线	14.5mm	1P,2P-12P	300,UL	76A,UL	14-6AWG 6.0-16.0mm²	/	/
	LP801	保险丝座 保险丝另配	10.0mm	1P,2P-8P	300,UL	6.3,UL	22-10AWG 1.0-2.5mm²	/	/

贯通式端子									
产品图	型号	说明	脚距	位数	电压(V)	电流(A)	接线容量	接线角度	焊接工艺
	LP10J	与LP10K配套	10.0mm	3P	300,UL	20A,UL	22-12AWG 0.5-2.5mm²	/	/
	LP10K	与LP10J配套	10.0mm	3P	300,UL	20A,UL	22-12AWG 0.5-2.5mm²	/	/
	LP1.5-84X		8.4mm	2P,3P-16P	660,UL	15A,UL	22-12AWG 0.5-2.5mm²	/	/
	LP2.5-100X		10.0mm	2P,3P-16P	660,UL	24A,UL	22-12AWG 0.5-2.5mm²	/	/
	TB15	可带锁板扣	8.9mm	2P,3P-12P	600,UL 450,IEC	15A,UL 32A,CE	22-12AWG 1.0-4.0mm²	/	/
	TB25	可带锁板扣	12.0mm	2P,3P-12P	600,UL 750,IEC	15A,UL 32A,CE	22-10AWG 1.0-4.0mm²	/	/
	TB45	可带锁板扣	16.7mm	2P,3P-12P	600,UL 750,IEC	45A,UL 41A,CE	24-8AWG 1.0-6.0mm²	/	/

Note Book



Note Book

